

订购热线: 4008-898-798

Anti-AGBL1 antibody

Cat. No. ml260838

Package 25 μl/100 μl/200 μl

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-AGBL1 rabbit polyclonal antibody

Applications ELISA, IHC

Immunogen Synthetic peptide of human AGBL1

ReactivityHuman, MouseContent0.2 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

Target information

Symbol AGBL1

Full name ATP/GTP binding protein-like 1

Synonyms

Swissprot Q96MI9

Target Background

Metallocarboxypeptidase that mediates deglutamylation of target proteins. Catalyzes the deglutamylation of polyglutamate side chains generated by post-translational polyglutamylation in proteins such as tubulins. Also removes gene-encoded polyglutamates from the carboxy-terminus of target proteins such as MYLK. Acts as a long-chain deglutamylase and specifically shortens long polyglutamate chains, while it is not able to remove the branching point glutamate, a process catalyzed by AGBL5/CCP5.




订购热线: 4008-898-798


Applications

Immunohistochemistry

Predicted cell location: Cytoplasm Positive control: Human breast cancer

Recommended dilution: 15-50





The image on the left is immunohistochemistry of paraffin-embedded Human breast cancer tissue using ml260838(AGBL1 Antibody) at dilution 1/15, on the right is treated with synthetic peptide. (Original magnification: ×200)

ELISA


Recommended dilution: 1000-5000


联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Cytoplasm Positive control: Human lung cancer Recommended dilution: 15-50





The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using ml260838(AGBL1 Antibody) at dilution 1/15, on the right is treated with synthetic peptide. (Original magnification: ×200)