

订购热线: 4008-898-798

Anti-PRKAR1B antibody

Cat. No. ml261081

Package 25 μl/100 μl/200 μl

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-PRKAR1B rabbit polyclonal antibody

Applications ELISA, IHC

Immunogen Synthetic peptide of human PRKAR1B

Reactivity Human, Mouse, Rat

Content0.6 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

Target information

Symbol PRKAR1B

Full name Protein kinase, cAMP-dependent, regulatory, type I, beta

Synonyms PRKAR1 Swissprot P31321

Target Background

Cyclic AMP-dependent protein kinase A (PKA) is an essential enzyme in the signaling pathway of the second messenger cAMP. Through phosphorylation of target proteins, PKA controls many biochemical events in the cell including regulation of metabolism, ion transport, and gene transcription. The PKA holoenzyme is composed of 2 regulatory and 2 catalytic subunits and dissociates from the regulatory subunits upon binding of cAMP.




订购热线: 4008-898-798


Applications

Immunohistochemistry

Predicted cell location: Cytoplasm, Nucleus Positive control: Human ovarian cancer

Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using ml261081(PRKAR1B Antibody) at dilution 1/60, on the right is treated with synthetic peptide. (Original magnification: ×200)

ELISA

Recommended dilution: 2000-10000


联系电话: 4008-898-798, 021-61725725


联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Cytoplasm, Nucleus

Positive control: Human lung cancer Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using ml261081(PRKAR1B Antibody) at dilution 1/60, on the right is treated with synthetic peptide. (Original magnification: ×200)