

订购热线: 4008-898-798

# Anti-GLP2R antibody

**Cat. No.** ml120699

**Package** 25 μl/100 μl/200 μl

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-GLP2R rabbit polyclonal antibody

Applications ELISA, WB, IHC

**Immunogen** Fusion protein of human GLP2R

ReactivityHuman, MouseContent0.3 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol GLP2R

Full name glucagon-like peptide 2 receptor

Synonyms

Swissprot O95838

#### **Target Background**

This gene encodes a G protein-coupled receptor that is closely related to the glucagon receptor and binds to glucagon-like peptide-2 (GLP2). Signalling through GLP2 stimulates intestinal growth and increases villus height in the small intestine, concomitant with increased crypt cell proliferation and decreased enterocyte apoptosis.



订购热线: 4008-898-798


## **Applications**


## **Immunohistochemistry**

Predicted cell location: Cytoplasm or Cell membrane

Positive control: Human breast cancer

Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human breast cancer tissue using ml120699(GLP2R Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)

Western blotting

Predicted band size:63 kDa Positive control:Jurkat cells Recommended dilution: 500-2000


Gel: 8%SDS-PAGE


Primary antibody: ml120699(GLP2R Antibody) at dilution 1/400

Predicted cell location: Cytoplasm or Cell membrane

Positive control: Human prostate cancer

Recommended dilution: 25-100






The image on the left is immunohistochemistry of paraffin-embedded Human prostate cancer tissue using ml120699(GLP2R Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)

Lysate: 40 µg Lane: Jurkat cells

on July Sakil Or Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 1 minute



### **ELISA**

Recommended dilution: 2000-5000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio cn@yeah.net

网址: www.mlbio.cn